



THE OPEN PALLET POOL.

**EU Declaration of Conformity
pursuant to Art. 39 PPWR
for EPAL CP pallets (EPAL CP1-CP9)**

European Pallet Association e.V.
Hamborner Straße 55
40472 Düsseldorf
Germany

Tel: +49 211 98 480 48 - 0
info@epal-pallets.org
www.epal.eu

EU Declaration of Conformity for EPAL CP pallets (EPAL CP1 – CP9)

**pursuant to Article 39 of Regulation (EU) 2025/40 of the European Parliament
and of the Council of 19 December 2024 on packaging and packaging waste,
hereinafter referred to as "PPWR" (Packaging and packaging waste regulation)**

Version 1.1 (July 2026)

Notes:

The EU Declaration of Conformity pursuant to Article 39 of the PPWR is based on the legal situation as of June 2026.

The European Commission is currently preparing various implementing or delegated acts and revising and supplementing explanatory notes, which may affect the application of the provisions forming the basis of this EU Declaration of Conformity pursuant to Article 39 of the PPWR. It is therefore subject to change in the legal situation resulting from secondary legislation and explanatory provisions issued by the European Commission.

EPAL will continuously adapt the EU Declaration of Conformity pursuant to Article 39 of the PPWR to developments in the secondary legislation and explanatory provisions relating to the PPWR, insofar as these affect the EU Declaration of Conformity pursuant to Article 39 of the PPWR.

In this EU Declaration of Conformity pursuant to Article 39 of the PPWR, it is assumed until further notice that the European Pallet Association e.V. (EPAL) is considered a manufacturer within the meaning of Article 15 of the PPWR on the basis of the standardisation and labelling of EPAL CP pallets (CP1-CP9), even though EPAL is not the producer of the pallets. Following the legal assessment of EPAL, the classification of EPAL as a manufacturer within the meaning of Article 15 of the PPWR has not yet been conclusively clarified by the European Commission.

This EU Declaration of Conformity in accordance with Article 39 of the PPWR issued by the European Pallet Association e.V. (EPAL) for EPAL CP pallets (EPAL CP1-CP9) is the result of the conformity assessment procedure carried out by EPAL in accordance with Article 38 of the PPWR and Annex VII to the PPWR. The detailed results of the conformity assessment procedure are contained in EPAL's technical documentation for EPAL CP pallets (EPAL CP1-CP9). The EU Declaration of Conformity in accordance with Article 39 of the PPWR issued by EPAL for EPAL CP pallets (EPAL CP1-CP9) complies with Annex VIII of the PPWR in terms of structure and content and contains the relevant elements in accordance with Annex VII of the PPWR.

1 EPAL EU Declaration of Conformity No. 10: EPAL CP pallets (EPAL CP1-CP9)

This EU declaration of conformity in accordance with Art. 39 PPWR applies to all nine types of new and used EPAL CP pallets (EPAL CP1-CP9), which are shown in Annex 1 (Technical drawings) and Annex 2 (Illustration).





2 Name and address of the manufacturer of the packaging (EPAL CP pallets)

The manufacturer of EPAL CP pallets (EPAL CP1-CP9) in accordance with Art. 15 PPWR is:

European Pallet Association e.V. (EPAL)

Hamborner Str. 55, 40472 Düsseldorf (Germany)

Tel: +49 211 98 480 480

Email: ppwr@epal-pallets.org

Website: www.epal.eu

3 Responsibility for issuing the declaration of conformity

The sole responsibility for issuing this declaration of conformity lies with the manufacturer referred to in section 2, the European Pallet Association e.V. (EPAL).

4 Subject of the declaration of conformity: EPAL CP9 pallets

The EU declaration of conformity in accordance with Art. 39 PPWR applies to EPAL CP pallets (EPAL CP1-CP9).

Description of the EPAL CP pallets (EPAL CP1-CP9):

- EPAL CP pallets (EPAL CP1-CP9) are flat pallets, which are made of wood (boards and blocks), optionally wood-based material (blocks) and steel (nails).
- EPAL CP pallets (EPAL CP1-CP9) can be identified by the marking with the registered trademark "EPAL in oval" on the right-hand corner blocks. In the case of optional marking with a QR code, the mark "EPAL im Oval" can be found on the centre block.
- EPAL CP pallets (EPAL CP1-CP9) are transport packaging in accordance with Art. 3 (7) PPWR and Art. 29 paras. 1-3 PPWR. They are used for the transport of goods between companies and their companies as well as for the storage of goods by companies.
- EPAL CP pallets (EPAL CP1-CP9) are reusable packaging in accordance with standard EN 13429:2004 and in accordance with Art. 11 para. 1 PPWR and Art. 29 para. 1-3 PPWR. Reuse takes place in the open EPAL pallet pool, an open-loop reuse system without a system operator in accordance with Annex VI of the PPWR, Part A.
- EPAL CP pallets (EPAL CP1-CP9) are not intended for delivery to consumers or for use by consumers.
- New EPAL CP pallets (CP1-CP9) have the following appearance. The appearance of used EPAL CP pallets (CP1-CP9) may vary.
- The Technical Specifications of EPAL CP Pallets (EPAL CP1-9) are shown in **Annex 1**.
- The appearance of EPAL CP pallets (EPAL CP1-9) is shown in **Annex 2**.
The appearance of used EPAL CP pallets (EPAL CP1-9) may vary.

The further specifications and characteristics of EPAL CP pallets (EPAL CP1-9) are set out in the Technical Documentation for EPAL CP pallets (EPAL CP1-9) in accordance with Art. 38 PPWR and Annex VII PPWR.

5 Conformity with the relevant Union harmonisation legislation

The following applies to the conformity of EPAL CP pallets (EPAL CP1-9) with the relevant provisions of the PPWR:

5.1 Art. 5-12 PPWR – Sustainability requirements

EPAL CP pallets (EPAL CP1-9) meet the requirements for the sustainability of packaging regulated in Art. 5-12 PPWR, insofar as these are applicable:

- Art. 5 PPWR Requirements for substances in packaging
- Art. 6 PPWR Recyclable packaging
- Art. 10 PPWR Packaging minimization
- Art. 11 PPWR Reusable packaging
- Art. 12 PPWR Labelling of Packaging

Notes:

- Art. 6 PPWR (Recyclable packaging) is currently only partially applicable to EPAL CP pallets (EPAL CP1-9) because the delegated acts pursuant to Art. 6 (4) PPWR are not yet available.
- Art. 7 PPWR (Minimum recycled content) applies only to plastic packaging and therefore not to EPAL CP pallets (EPAL CP1-9).
- Art. 8 PPWR (bio-based raw materials) applies only to plastic packaging and therefore not to EPAL CP pallets (EPAL CP1-9).
- Art. 9 PPWR applies only to compostable packaging and therefore not to EPAL CP pallets (EPAL CP1-9).
- Art. 11 PPWR (Reusable packaging) is currently only partially applicable to EPAL CP pallets (EPAL CP1-9) because the delegated act pursuant to Art. 11 (2) PPWR has not yet been submitted.
- Art. 12 PPWR (Labelling of Packaging) only partially applies to EPAL CP pallets (EPAL CP1-9). Pursuant to Article 12(1) and (6) of the PPWR, application begins 24 months from the entry into force of the implementing acts that have not yet been submitted.

The details on the application and fulfilment of the provisions pursuant to Art. 5-12 PPWR are contained in the Technical Documentation for EPAL CP pallets (EPAL CP1-9).

5.2 Art. 15 (4) PPWR – Series production

The conformity of EPAL CP pallets (EPAL CP1-9) with the technical specifications in accordance with Section 6.3 is continuously checked by EPAL's independent quality assurance and carried out by external inspection companies (production and repair of EPAL CP pallets) and external testing institutes (production of wood-chip blocks and nails). In accordance with Art. 15 para. 4 PPWR, these quality assurance measures ensure that EPAL CP pallets (EPAL CP1-9) in series production comply with the information in this declaration of conformity.

5.3 Art. 26, 27, 29 PPWR and Annex VI PPWR – Reuse system

A reuse system is available for EPAL CP pallets (EPAL CP1-9). This is the EPAL pallet pool. The EPAL pallet pool is an open-loop reuse system without a system operator in accordance with Annex VI Part A of the PPWR and complies with the requirements for open-loop systems without a system operator, regulated in Annex VI Part A of the PPWR. Details regarding compliance of the EPAL pallet pool with the provisions of Article 26, 27, 29 PPWR and Annex VI to the PPWR are set out in the Technical documentation for EPAL CP pallets (EPAL CP1-9).

6 Harmonised standards, common specifications and other technical specifications

The following standards and specifications have been considered in the assessment of conformity:

6.1 Harmonised standards

- EN 13698-1 Product Specification for Pallets - Part 1 Production of 800 mm x 1200 mm flat wooden pallets
- EN 13429 Packaging reusability
- EN 13430 Requirements for packaging recoverable by material recycling
- Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and amended in accordance with Regulation (EU) 2023/1464 (assessment of wood-chip blocks)
- IPPC standard ISPM15 EPAL CP pallets (EPAL CP1-9) are heat-treated and marked according to the IPPC standard ISPM15 as part of the production process.

6.2 Common Specifications

There are currently no implementing or delegated acts with common specifications pursuant to Art. 37 PPWR, which regulate the application of Art. 5-12, 24 and 26 PPWR in detail and which are applicable to EPAL CP pallets (EPAL CP1-9).

6.3 Technical Specifications

The following technical specifications apply to EPAL CP pallets (EPAL CP1-9):

- EPAL Technical Regulations for the Production and Repair of EPAL CP pallets (EPAL CP1-9)
- EPAL Technical Regulations for the Quality and Quality assurance of EPAL blocks

7 Notified Body

There is currently no notified body that carries out tests regarding the content of this EU declaration of conformity for EPAL CP pallets (EPAL CP1-9).

8 Additional information


There is currently no additional information.

Annexes

Annex 1 **Technical drawings of EPAL CP pallets (EPAL CP1-CP9)**

Annex 2 **Illustration of EPAL CP pallets (EPAL CP1-CP9)**


European Pallet Association e.V.
Düsseldorf, 10 July 2026



Bernd Dörre
CEO of EPAL


Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP1 pallet 1,000 mm x 1,200 mm x 138 mm (L/W/H)




Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP2 pallet 800 mm x 1,200 mm x 138 mm (L/W/H)




Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP3 pallet 1,140 mm x 1,140 mm x 138 mm (L/W/H)




Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP4 pallet 1,100 mm x 1,300 mm x 138 mm (L/W/H)




Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP6 pallet 1,200 mm x 1,000 mm x 156 mm (L/W/H)




Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP7 pallet 1,300 mm x 1,100 mm x 156 mm (L/W/H)




Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP8 pallet 1,140 mm x 1,140 mm x 156 mm (L/W/H)



Annex 1 Technical drawings of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP9 pallet 1,140 mm x 1,140 mm x 156 mm (L/W/H)



Annex 2 Illustration of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP1 pallet 1,000 mm x 1,200 mm x 138 mm (L/W/H)



EPAL CP2 pallet 800 mm x 1,200 mm x 138 mm (L/W/H)



EPAL CP3 pallet 1,140 mm x 1,140 mm x 138 mm (L/W/H)



Annex 2 Illustration of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP4 pallet 1,100 mm x 1,300 mm x 138 mm (L/W/H)



EPAL CP5 pallet 760 mm x 1,140 mm x 138 mm (L/W/H)



EPAL CP6 pallet 1,200 mm x 1,000 mm x 156 mm (L/W/H)



Annex 2 Illustration of EPAL CP pallets (EPAL CP1-CP9)

EPAL CP7 pallet **1,300 mm x 1,100 mm x 138 mm (L/W/H)**



EPAL CP8 pallet **1,140 mm x 1,140 mm x 156 mm (L/W/H)**



EPAL CP9 pallet **1,140 mm x 1,140 mm x 156 mm (L/W/H)**

